



## NOTES:

1. ASSEMBLED CONNECTOR INTERFACE IS DESIGNED IN ACCORDANCE WITH MIL-STD-348.

2. MATERIAL: INSULATORS - TEFLON PER ASTM D4894

GASKET — SILICONE RUBBER PER A-A-59588 CONTACT — BERYLLIUM COPPER PER ASTM B196 ALL OTHER METAL PARTS — BRASS PER ASTM B16

3. FINISHES: CONTACT — GOLD PLATE PER ASTM B488

	-	OUTLINE	4/11/05
SS OTHERWISE SPECIFIED: TOLERANCES: 3 PLACES = $\pm$ .005, 2 PLACES = $\pm$ .02, ANGLES = $\pm$ 1/2, SURFACE FINISH = 63	ALT.	REVISIONS	DATE

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF DELTA ELECTRONICS MFG CORP. AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT THEIR EXPRESS WRITTEN CONSENT.

M39012/18-0102

	DELTA ELECTRONICS MFG. CORP. Beverly, MA 01915								
	TITLE: RG-5		NC' PANEL CLAMP JACK FOR , 58C, 141A, 142B, 223/U CABLE						
05 E	Drawn by MR 4/11/05	Scale 2/1	Ckd. by BJM	Engr Appd MR	FILE NAME: 1011015A07E-000T				
	CODE IDE	NT00795	1011-015-A07E						